Chemical Methodologies

journal homepage: <http://chemmethod.com/>

Original Research article

Prediction of the Structural and Spectral Properties and Reactivity of the Silicon Analogs of Cyclobutadiene $C_{4-n}Si_nH_4$ ($n=0-4$) by Density Functional Theory Computations

Mehdi Nabati

Chemistry Department, Faculty of Science, Azarbaijan Shahid Madani University, Tabriz, Iran

ARTICLE INFORMATION

Received: August 2017
Received in revised: August 2017
Accepted: September 2017
Available online: ** 2017

DOI:
10.22631/chemm.2017.104875.1018

KEYWORDS

DFT
Cyclobutadiene
Silicon analog
NBO analysis
Reactivity

ABSTRACT

In recent years, it has been noted that the silicon analogs compounds have more pharmaceutical applications due to their excellent lipophilicity properties. The present study evaluated the structural, spectral properties, and reactivity of the silicon analogs of cyclobutadiene compound. This study was conducted based on the quantum-mechanical computations. All the studied compounds were optimized by B3LYP/6-311++G(d,p) basis set of theory. The IR computations showed no imaginary frequency for all molecules, proved the accuracy of the methods. The results revealed that, the silicon analogs have more benefits in terms of the structural and stability properties in comparison with the carbon analog.

*Corresponding author: email: mnabati@gmail.com, Chemistry Department, Faculty of Science, Azarbaijan Shahid Madani University, Tabriz, Iran, Tel: +98(413) 4327501, Fax: +98(413) 4327501

Graphical Abstract

Introduction

Cyclobuta-1,3-diene is the smallest $[n]$ -annulene compounds with the chemical formula C_4H_4 . Firstly, it was prepared by Rowland Pettit et al. in 1965 [1]. This molecule has low stability due to its angle strain factors and antiaromaticity of its molecular structure [2]. Low stability of the cyclobutadiene contributes to its high reactivity and short lifetime [3]. Various sources claimed that the pi electrons of cyclobutadiene system are not conjugated [4]. The energy of this system is higher than that of the 1,3-butadiene system. So, this molecule is a nonaromatic compound [5]. At high temperatures, two units of this compound react together by Diels-Alder reaction and composed a dimerized molecule [6]. The free cyclobutadiene is a transient intermediate. So, this molecule participates as a ligand in various organometallic compounds such as cyclobutadiene tricarbonyl complexes [7]. As another application of this molecule, it is a part of different medicine structures [8]. In recent years, many scientists had tried to solve the instability and antiaromaticity problems of this annulene by entering silicon atoms in the structure of cyclobutadiene [9, 10]. This comes back to the weakness and high reactivity of silicon pi bonds. The second reason is the high polarity

of silicon atoms [10, 11]. So, one can hope that the silicon analogs of this molecule would have had more applications than cyclobutadiene compound. In last decades, various attempts were done for preparation of these analogs [7-11], but its chemistry is very novel and needs more researches to complete the understanding their structures and applications. So, the present study aims at providing some useful information about the structural and spectral properties, reactivity, and natural bond orbital (NBO) population analysis of the cyclobutadiene molecule and its silicon analogs. Our studies are based on density functional theory (DFT) computations. Therefore, I hope this study will be a big window to the world of the silicon analogs of [4]-annulene.

Computational methods

In this study, the quantum mechanical computations [12-18] were used and the molecular structure of the mentioned compounds were optimized using density functional theory (DFT) method (B3LYP functional) with 6-311++G(d,p) basis set of theory by the Gaussian 03W program package [19-22]. Also, the ChemBioDraw Ultra 13.0, GaussView 6.0.16 and GaussSum 3.0 programs were used for drawing molecules, visualizing molecular structures and obtaining spectral graphs, respectively. After optimizing the structures, the vibrational frequencies were computed for all molecules. It had not seen any imaginary frequency for all compounds. So, it proves the accuracy of our computations.

Results and discussion

Structural study of molecules

Scheme 1 indicates the molecular structures of cyclobuta-1,3-diene (CCCC), silete (SCCC), 1,2-disilete (SSCC), 1,3-disilete (SCSC), trisilete (SSSC) and tetrasilete (SSSS) compounds. The geometry of these molecules were optimized by B3LYP/6-311++G(d,p) basis set of theory. The optimized structures of the mentioned compounds are shown in Figure 1. It's easy to see that changing the carbon atoms by silicon atoms causes the disturbing of the regular molecular structures. As seen in Figure 1, the pi bonds of two compounds CCCC and SCCC are not conjugated. Also, the structure of other molecules is twisted. So, all studied molecule structures cannot be antiaromatic. Table 1 presents the bond lengths data of the studied molecules. It is seen two types of C-C bonds for CCCC molecule with 1.333 and 1.577 Å bond lengths. This shows the non-aromaticity property of this molecule. Other molecules indicate different C-C, C-Si and Si-Si bond lengths too. So, it can be understood that, the pi bonds in our selected molecules are not conjugate. Table 2 similar to Table 1 proves the non-armaticity property of the molecules. We can see the bond order (B.O.) of C-C, C-Si

and Si-Si bonds in Table 2. For instance, the C-C bonds of CCCC molecular structure do not reveal the unique bond order. The Si-Si bond orders of SSSS molecule are 1.012 Å and 1.272 Å. Based on these data (bond lengths and bond orders), the both carbon and silicon analogs of cyclobutadiene molecule have twisted and non-aromatic structures. As can be seen in Table 3, the summation of sigma and pi bond orders of ring is reduced by replacing of silicon atoms with carbon atoms in the studied molecules. This happens because of the electropositive property of silicon atoms. This factor indicates the non-aromaticity property of the molecules too. Another factor for study of aromaticity of unsaturated rings is nucleus independent chemical shift (NICS) character [23-25]. The positive and negative NICSs show the antiaromaticity and aromaticity properties of a compound, respectively. The computed NICS data of all molecules are collected in Table 4. From these data, the CCCC, SCCC and SCSC structures are antiaromatic. In contrast, the SSCC, SSSC and SSSS structures are aromatic compounds. While we saw all compounds are non-aromatic molecules. So, this factor cannot be used for expression of aromaticity property of the selected molecules.

Global and local reactivity of molecules

It is well known that global reactivity indices defined within conceptual DFT is a powerful tool to explain reactivity and the molecular properties. Consequently, global hardness (η), electronic chemical potential (μ), electronegativity (χ), global softness (S), nucleophilicity index (N), and electrophilicity index (ω) for the all compounds were calculated using the following equations [16-25]:

$$\begin{aligned}\eta \text{ (eV)} &= \frac{(\varepsilon_{\text{LUMO}} - \varepsilon_{\text{HOMO}})}{2} \\ \mu \text{ (eV)} &= -\frac{(\varepsilon_{\text{LUMO}} + \varepsilon_{\text{HOMO}})}{2} \\ \chi \text{ (eV)} &= -\mu \\ S \text{ (eV)} &= \frac{1}{2\eta} \\ N \text{ (eV)} &= \varepsilon_{\text{HOMO}} - \varepsilon_{\text{HOMO}(\text{Tetracyanoethylene})} \\ \omega \text{ (eV)} &= \frac{\mu^2}{2\eta}\end{aligned}$$

The data of global reactivity calculations for all molecules are collected in Tables 5. Stability of molecules is relative to the frontier orbitals (HOMO and LUMO) energies of them. The compounds

with high HOMO-LUMO energies gap are more stable than the molecules with low HOMO-LUMO energies gap. From the global hardness data, the stability order of the molecules is: SSCC > CCCC > SSSC > SSSS > SCCC > SCSC. We can see from this order that the SCSC molecular structure has the lowest stability and the highest reactivity among all compounds. Also, the reactivity of SSSS molecule is more than the CCCC compound. On the other hand, the electrophilicity property order of the molecules is: CCCC > SSCC > SSSC > SCCC > SCSC > SSSS. This order indicates the replacing silicon atoms instead of carbon atoms in molecular structure of cyclobutadiene molecule reduced the electrophilicity property of the compound. Figure 2 demonstrates the density of states (DOS) plots of the molecules. As can be seen in the DOS plots; all molecules have more HOMO frontier orbitals than LUMO orbitals. So, all compounds prefer to react with nucleophiles.

Table 6 presents the natural charges data of the atoms of the structures. We see the carbon and silicon atoms show negative and positive charges on themselves. In CCCC molecule, all four carbon atoms show unique negative natural charge. So, only electrophiles can attack to this structure. In contrast, the other molecules can react with both electrophiles and nucleophiles. The electrophiles attack to carbon atoms and nucleophiles show tendency to react with silicon atoms. Also, the four silicon atoms of SSSS molecular structure have not unique reactivity with active nucleophiles and electrophiles.

Spectral study of molecules

There are several spectroscopic techniques which can be used to identify the organic molecules: infrared (IR), mass spectroscopy (MS) UV-Visible spectroscopy (UV-Vis) and nuclear magnetic resonance (NMR) [26]. IR, NMR and UV-Vis spectroscopy are based on observing the frequencies of electromagnetic radiation absorbed and emitted by molecules.

IR [Harmonic frequencies (cm^{-1}), intensities (KM/Mole)]: CCCC: 535.3079 (0.0009), 587.5747 (152.6736), 600.8853 (0.0017), 702.7518 (9.6274), 886.4584 (0.0001), 1055.1952 (0.5520), 1255.8694 (39.7522), 1617.8887 (0.0029), 1624.4333 (8.3031), 3208.4372 (10.7371), 3230.0171 (18.6088), and 3240.1003 (0.0001). SCCC: 258.9831 (13.0312), 361.8772 (28.3259), 469.7359 (5.7323), 521.2737 (12.7964), 632.4513 (106.4750), 675.5702 (10.7117), 780.2640 (71.3542), 837.7580 (12.7165), 923.6545 (2.6358), 997.5477 (23.5675), 1007.7272 (31.3322), 1127.0949 (31.8691), 1240.9835 (4.6619), 1532.8829 (56.6132), 2212.4929 (103.9822), 3123.3690 (26.7210), 3262.6395 (0.3958), and 3281.5904 (0.1341). SSCC: 295.0648 (1.0762), 315.3322 (1.1790), 390.2509 (22.7673), 478.3536 (3.3505), 540.6453 (1.6743), 601.8483 (25.9051), 629.6918 (12.4267), 742.6100 (17.7836), 756.7392 (122.0962), 813.2838 (78.1008), 930.0689

(2.9339), 973.3476 (1.1806), 1183.1172 (18.7400), 1399.4039 (17.7099), 1994.0995 (267.8572), 2131.6303 (185.9518), 3077.2130 (2.2754), and 3201.4781 (0.6265). SCSC: 132.2318 (35.3830), 439.7340 (0.0001), 475.6387 (110.4807), 552.1272 (0.0001), 569.3793 (110.7612), 703.7180 (0.0431), 756.4359 (57.0555), 950.5451 (162.9173), 953.6606 (0.0010), 1017.2681 (267.1057), 2205.9613 (323.1345), 2215.8670 (0.0015), 3289.7664 (0.4642), and 3290.4896 (12.5230). SSSC: 181.2672 (2.6939), 291.9805 (0.8444), 295.1467 (2.3375), 377.9971 (0.5024), 449.6328 (7.2036), 501.7176 (1.5522), 583.3426 (5.2491), 590.9728 (10.9657), 612.7247 (6.2993), 690.8120 (36.1373), 760.0126 (120.2733), 788.7831 (10.2321), 947.5508 (113.0875), 960.5712 (78.8555), 2019.9376 (223.8703), 2156.1265 (308.4768), 2165.1868 (52.8304), and 3205.7184 (0.3060). SSSS: 115.3881 (26.9009), 235.4028 (32.7654), 257.7249 (21.7626), 329.6320 (0.0386), 355.0223 (1.6252), 412.0029 (4.3798), 424.5655 (19.9269), 488.2611 (4.5187), 501.6938 (1.3771), 537.0069 (1.5171), 586.8543 (13.1764), 600.9626 (1.2903), 653.6382 (0.9910), 731.5103 (28.1948), 2092.3927 (158.1892), 2110.4361 (239.1649), 2155.8095 (192.0354), and 2164.0137 (61.0495). As can be seen, the stretching vibrations of C-H and Si-H appear at frequencies 3000-3300 and 2000-2200 cm^{-1} range, respectively.

UV-Vis [Wavelength (nm), energy (cm^{-1})]: CCCC: 253.919 (39382.712, HOMO to LUMO+2 transition (96%)), 267.534 (37378.410, HOMO to LUMO+1 transition (100%)) and 473.363 (21125.420 HOMO to LUMO transition (77%)). SCCC: 313.350 (31913.160, HOMO to LUMO+2 transition (91%) and HOMO to LUMO+3 transition (4%)), 353.118 (28319.128, HOMO to LUMO+1 transition (95%)) and 745.989 (13405.027 HOMO to LUMO transition (74%)). SSCC: 283.313 (35296.679, HOMO-1 to LUMO transition (48%), HOMO to LUMO+2 transition (35%) and HOMO to LUMO+1 transition (6%)), 309.139 (32347.895, HOMO-1 to LUMO transition (15%), HOMO to LUMO+1 transition (68%) and HOMO-2 to LUMO transition (8%)) and 438.708 (22794.192 HOMO to LUMO transition (90%) and HOMO to LUMO+1 transition (3%)). SCSC: 335.734 (29785.454, HOMO to LUMO+2 transition (97%)), 391.572 (25538.109, HOMO to LUMO+1 transition (98%)) and 979.099 (10213.469 HOMO to LUMO transition (94%)). SSSC: 313.263 (31922.032, HOMO-1 to LUMO transition (89%) and HOMO to LUMO+2 transition (4%)), 342.146 (29227.315, HOMO to LUMO+1 transition (73%), HOMO to LUMO+2 transition (11%), HOMO-1 to LUMO transition (3%) and HOMO-1 to LUMO+3 transition (2%)) and 487.739 (20502.755 HOMO to LUMO transition (97%)). SSSS: 397.446 (25160.639, HOMO-2 to LUMO transition (91%) and HOMO-1 to LUMO+1 transition (2%)), 470.811 (21239.951, HOMO to LUMO+1 transition (96%)) and 490.518 (20386.611, HOMO-1 to LUMO transition (13%) and HOMO to LUMO transition (65%)). We can see the HOMO/LUMO

electronic transitions of cyclobutadiene and its silicon analogs happen at about 470-490 nm wavelengths.

The NMR technique is a good method for identification of the structure of the organic compounds [27]. The ^1H , ^{13}C and ^{29}Si chemical shifts of the studied molecules are listed in Table 7. As can be seen, the chemical shifts of all ^1H and ^{13}C nucleuses of cyclobutadiene structure are 5.9 and 147.4, respectively. This is happened because of the planar structure of cyclobutadiene molecule. On the other hand, we see various chemical shifts for these atoms when silicon atom entered instead of carbon atom in the structure. In previous sections, we saw the structure of molecules is twisted by entering silicon atom. So, the atoms feel different magnetic field and because of this reason the various chemical shifts are shown for nucleuses. In overall, the nucleus with electron deficiency is seen at high chemical shifts. In contrast, the lowest chemical shifts are belonged to the atomic cores with surplus electron. For example; the chemical shifts of proton and carbon nucleuses in SCSC structure are 0.4 and 38.0, respectively. The carbon atoms are connected to two electropositive atoms (silicon atoms) in SCSC molecular structure. Also, the silicon nucleus chemical shift is shown at above 200 Hz.

Natural bond orbital (NBO) study of molecules

In quantum chemistry, a natural bond orbital or NBO is a calculated bonding orbital with maximum electron density [28-30]. The analysis of natural bond orbitals (NBOs) population of bonds can give us more important information about the structure of unknown molecules. Table 8 has collected the data of the NBO population analysis of the bonds of the selected molecules. It can be seen from the data, in CCCC molecular structure, carbon atoms participate with more p orbitals in C-C bonds than C-H bonds. It happens because of the angular pressure of the cyclobutadiene ring. By entering the silicon atoms instead of the carbon atoms in molecular structures, low p orbitals of carbon atoms are participated in C-C and C-Si bonds. In these structures the angular pressure of rings reduces because the covalent radius of silicon atom is bigger than the carbon atom. Also, the carbon atoms that are connected to the silicon atoms participate with more p orbitals in C-H bonds than carbon atoms that are connected to other carbon atoms. So, these hydrogen atoms have lower acidity than others. On the other hand, the lowest acidity is related to the hydrogen atoms of Si-H bonds. Another important subject is related to the silicon atoms. These atoms use d orbitals in construction of bonds with other atoms. So, more silicon atoms in one structure cause more twisted structure.

Scheme 1. The molecular structure of the studied silicon analogs of cyclobutadiene

Figure 1. The theoretical geometric structure of the studied molecules.

Figure 2. The density of states (DOS) graphs of the studied molecules

Table 1. Bond lengths data of the studied molecules

Bonds	CCCC	SCCC	SSCC	SCSC	SSSC	SSSS
C1-C2	1.577	1.539	1.363	-	-	-
C2-C3	1.333	1.344	-	-	-	-
C3-C4	1.577	-	-	-	-	-
C4-C1	1.333	-	-	-	-	-
C1-H	1.081	1.076	1.082	1.075	1.082	-
C2-H	1.081	1.089	1.093	-	-	-
C3-H	1.081	1.077	-	1.075	-	-
C4-H	1.081	-	-	-	-	-
C3-Si4	-	1.918	-	1.782	-	-
Si4-C1	-	1.709	1.806	1.782	1.778	-
Si4-H	-	1.486	1.502	1.487	1.496	1.509
C2-Si3	-	-	2.000	-	-	-
Si3-Si4	-	-	2.345	-	2.386	2.358
Si3-H	-	-	1.531	-	1.524	1.497
C1-Si2	-	-	-	1.782	1.778	-
Si2-C3	-	-	-	1.782	-	-
Si2-H	-	-	-	1.487	1.496	1.503
Si2-Si3	-	-	-	-	2.386	2.258
Si1-Si2	-	-	-	-	-	2.258
Si4-Si1	-	-	-	-	-	2.358
Si1-H	-	-	-	-	-	1.497

Table 2. Bond orders data of the studied molecules.

Bonds	CCCC	SCCC	SSCC	SCSC	SSSC	SSSS
C1-C2	0.978	1.033	1.722	-	-	-
C2-C3	2.004	1.930	-	-	-	-
C3-C4	0.978	-	-	-	-	-
C4-C1	2.004	-	-	-	-	-
C1-H	0.928	0.929	0.902	0.918	0.904	-
C2-H	0.928	0.899	0.878	-	-	-
C3-H	0.928	0.924	-	0.918	-	-
C4-H	0.928	-	-	-	-	-
C3-Si4	-	0.851	-	1.095	-	-
Si4-C1	-	1.618	0.965	1.095	1.211	-
Si4-H	-	0.905	0.894	0.908	0.904	0.914
C2-Si3	-	-	0.713	-	-	-
Si3-Si4	-	-	0.859	-	0.957	1.012
Si3-H	-	-	0.894	-	0.908	0.910
C1-Si2	-	-	-	1.095	1.210	-
Si2-C3	-	-	-	1.095	-	-
Si2-H	-	-	-	0.908	0.904	0.907
Si2-Si3	-	-	-	-	0.957	1.272
Si1-Si2	-	-	-	-	-	1.272
Si4-Si1	-	-	-	-	-	1.012
Si1-H	-	-	-	-	-	0.910

Table 3. Total bond orders data of the studied molecules

Compounds	Sum of sigma and pi bond orders of ring
CCCC	5.964
SCCC	5.432
SSCC	4.259
SCSC	4.380
SSSC	4.335
SSSS	4.568

Table 4. NICS(0) data of the studied molecules

Compounds	NICS(0)
CCCC	26.528
SCCC	20.413
SSCC	-14.885
SCSC	12.091
SSSC	-8.403
SSSS	-14.241

Table 5. Global reactivity descriptors data of the studied molecules

Compound	HOMO (eV)	LUMO (eV)	GAP (eV)	χ (eV)	μ (eV)	η (eV)	S (eV) ⁻¹	ω (eV)
CCCC	-5.44	-1.90	3.54	-3.67	3.67	1.77	0.28	3.77
SCCC	-4.89	-2.37	2.52	-3.63	3.63	1.26	0.40	5.27
SSCC	-5.95	-2.26	3.69	-4.11	4.11	1.85	0.27	4.56
SCSC	-4.79	-2.39	2.40	-3.59	3.59	1.20	0.42	5.41
SSSC	-5.86	-2.36	3.50	-4.11	4.11	1.75	0.29	4.90
SSSS	-5.97	-3.10	2.87	-4.54	4.54	1.44	0.35	7.21

Table 6. Natural charges data of the atoms of the studied molecules.

Atoms	CCCC	SCCC	SSCC	SCSC	SSSC	SSSS
H1	0.199	0.226	0.233	0.250	0.242	-0.131
H2	0.199	0.205	0.227	-0.158	-0.144	-0.127
H3	0.199	0.220	-0.161	0.250	-0.183	-0.131
H4	0.199	-0.158	-0.219	-0.158	-0.144	-0.144
C1	-0.199	-0.910	-0.613	-1.524	-1.342	-
C2	-0.199	-0.146	-0.624	-	-	-
C3	-0.199	-0.662	-	-1.254	-	-
C4	-0.199	-	-	-	-	-
Si1	-	-	-	-	-	0.238
Si2	-	-	-	1.432	0.830	0.080
Si3	-	-	0.823	-	-0.088	0.238
Si4	-	1.226	0.334	1.432	0.830	-0.023

Table 7. The chemical shifts data of the atoms of the studied molecules.

Nucleus	CCCC	SCCC	SSCC	SCSC	SSSC	SSSS
H1	5.897	4.671	8.301	0.364	7.178	8.017
H2	5.896	6.675	9.000	8.650	8.411	9.861
H3	5.896	3.441	5.008	0.364	3.336	8.012
H4	5.897	8.172	6.191	8.650	8.410	4.396
C1	147.409	134.914	171.466	38.032	163.659	-
C2	147.411	173.831	154.090	-	-	-
C3	147.387	96.886	-	38.033	-	-
C4	147.440	-	-	-	-	-
Si1	-	-	-	-	-	236.721
Si2	-	-	-	204.748	208.704	238.916
Si3	-	-	-25.152	-	-140.006	236.486
Si4	-	141.311	63.788	204.749	208.479	-87.229

Table 8. The NBO population analysis data of the studied molecules.

Compounds	Bonds	Occupancy	Population/Bond orbital/Hybrids
CCCC	$\sigma(\text{C1-C2})$	1.96534	50.00% C1 ($\text{sp}^{2.71}$), 50.00% C2 ($\text{sp}^{2.71}$)
	$\sigma(\text{C2-C3})$	1.99299	50.00% C2 (sp), 50.00% C3 (sp)
	$\pi(\text{C2-C3})$	1.98364	50.00% C2 ($\text{sp}^{1.64}$), 50.00% C3 ($\text{sp}^{1.64}$)
	$\sigma(\text{C3-C4})$	1.96534	50.00% C3 ($\text{sp}^{2.71}$), 50.00% C4 ($\text{sp}^{2.71}$)
	$\sigma(\text{C1-C4})$	1.99299	50.00% C1 (sp), 50.00% C4 (sp)
	$\pi(\text{C1-C4})$	1.98363	50.00% C1 ($\text{sp}^{1.63}$), 50.00% C4 ($\text{sp}^{1.64}$)
	$\sigma(\text{C1-H})$	1.99185	60.54% C1 ($\text{sp}^{1.85}$), 39.46% H (s)
	$\sigma(\text{C2-H})$	1.99185	60.54% C2 ($\text{sp}^{1.85}$), 39.46% H (s)
	$\sigma(\text{C3-H})$	1.99185	60.54% C3 ($\text{sp}^{1.85}$), 39.46% H (s)
	$\sigma(\text{C4-H})$	1.99185	60.54% C4 ($\text{sp}^{1.85}$), 39.46% H (s)
SCCC	$\sigma(\text{C1-C2})$	1.96435	49.29% C1 ($\text{sp}^{2.56}$), 50.71% C2 ($\text{sp}^{2.26}$)
	$\sigma(\text{C2-C3})$	1.98295	50.69% C2 ($\text{sp}^{1.62}$), 49.31% C3 ($\text{sp}^{1.62}$)
	$\pi(\text{C2-C3})$	1.98724	43.50% C2 (sp), 56.50% C3 (sp)
	$\sigma(\text{C3-Si4})$	1.94486	65.99% C3 ($\text{sp}^{3.14}$), 34.01% Si4 ($\text{sp}^{2.21}$)
	$\sigma(\text{C1-Si4})$	1.96934	68.91% C1 ($\text{sp}^{1.94}$), 31.09% Si4 ($\text{sp}^{1.56}\text{d}^{0.02}$)
	$\pi(\text{C1-Si4})$	1.92046	69.40% C1 (sp), 30.60% Si4 ($\text{spd}^{0.01}$)
	$\sigma(\text{C1-H})$	1.99237	61.67% C1 ($\text{sp}^{1.65}$), 38.33% H (s)
	$\sigma(\text{C2-H})$	1.97775	60.98% C2 ($\text{sp}^{2.21}$), 39.02% H (s)
	$\sigma(\text{C3-H})$	1.98745	61.33% C3 ($\text{sp}^{1.66}$), 38.67% H (s)
	$\sigma(\text{Si4-H})$	1.96811	42.23% Si4 ($\text{sp}^{2.28}\text{d}^{0.02}$), 57.77% H (s)
SSCC	$\sigma(\text{C1-C2})$	1.98730	49.85% C1 ($\text{sp}^{1.88}\text{d}^{0.01}$), 50.15% C2 ($\text{sp}^{1.82}$)
	$\pi(\text{C1-C2})$	1.80071	50.74% C1 ($\text{sp}^{87.60}\text{d}^{0.28}$), 49.26% C2 ($\text{sp}^{99.99}\text{d}^{0.19}$)
	$\sigma(\text{C2-Si3})$	1.79081	77.33% C2 ($\text{sp}^{1.89}$), 22.67% Si3 ($\text{sp}^{8.07}\text{d}^{0.11}$)
	$\sigma(\text{Si3-Si4})$	1.88469	31.54% Si3 ($\text{sp}^{15.95}\text{d}^{0.13}$), 68.46% Si4 ($\text{sp}^{1.65}\text{d}^{0.01}$)
	$\sigma(\text{C1-Si4})$	1.95685	69.46% C1 ($\text{sp}^{2.60}\text{d}^{0.01}$), 30.54% Si4 ($\text{sp}^{2.60}\text{d}^{0.03}$)
	$\sigma(\text{C1-H})$	1.98245	61.98% C1 ($\text{sp}^{1.76}$), 38.02% H (s)
	$\sigma(\text{C2-H})$	1.96464	62.27% C2 ($\text{sp}^{2.40}$), 37.73% H (s)
	$\sigma(\text{Si3-H})$	1.95319	38.02% Si3 ($\text{sp}^{6.54}\text{d}^{0.06}$), 61.98% H (s)
	$\sigma(\text{Si4-H})$	1.96950	42.56% Si4 ($\text{sp}^{2.16}\text{d}^{0.02}$), 57.44% H (s)

SCSC	$\sigma(\text{C1-Si2})$	1.95712	68.94% C1 ($\text{sp}^{2.27}$), 31.06% Si2 ($\text{sp}^{1.84}\text{d}^{0.02}$)
	$\sigma(\text{Si2-C3})$	1.95712	31.06% Si2 ($\text{sp}^{1.84}\text{d}^{0.02}$), 68.94% C3 ($\text{sp}^{2.27}$)
	$\pi(\text{Si2-C3})$	1.74504	12.76% Si2 ($\text{sp}^{0.04}$), 87.24% C3 (sp)
	$\sigma(\text{C3-Si4})$	1.95712	68.94% C3 ($\text{sp}^{2.27}$), 31.06% Si4 ($\text{sp}^{1.84}\text{d}^{0.02}$)
	$\sigma(\text{C1-Si4})$	1.95712	68.94% C1 ($\text{sp}^{2.27}$), 31.06% Si4 ($\text{sp}^{1.84}\text{d}^{0.02}$)
	$\pi(\text{C1-Si4})$	1.74504	87.24% C1 (sp), 12.76% Si4 ($\text{sp}^{0.04}$)
	$\sigma(\text{C1-H})$	1.99092	62.90% C1 ($\text{sp}^{1.58}$), 37.10% H (s)
	$\sigma(\text{Si2-H})$	1.97456	42.54% Si2 ($\text{sp}^{2.32}\text{d}^{0.02}$), 57.46% H (s)
	$\sigma(\text{C3-H})$	1.99092	62.90% C3 ($\text{sp}^{1.58}$), 37.10% H (s)
	$\sigma(\text{Si4-H})$	1.97456	42.54% Si4 ($\text{sp}^{2.32}\text{d}^{0.02}$), 57.46% H (s)
SSSC	$\sigma(\text{C1-Si2})$	1.96977	71.13% C1 ($\text{sp}^{2.17}$), 28.87% Si2 ($\text{sp}^{2.23}\text{d}^{0.02}$)
	$\sigma(\text{Si2-Si3})$	1.88052	62.38% Si2 ($\text{sp}^{1.68}\text{d}^{0.01}$), 37.62% Si3 ($\text{sp}^{11.83}\text{d}^{0.09}$)
	$\sigma(\text{Si3-Si4})$	1.83645	38.29% Si3 ($\text{sp}^{11.83}\text{d}^{0.09}$), 61.71% Si4 ($\text{sp}^{1.59}\text{d}^{0.01}$)
	$\sigma(\text{C1-Si4})$	1.97033	71.13% C1 ($\text{sp}^{2.15}$), 28.87% Si4 ($\text{sp}^{2.23}\text{d}^{0.02}$)
	$\pi(\text{C1-Si4})$	1.61299	74.86% C1 ($\text{sp}^{76.90}\text{d}^{0.11}$), 25.14% Si4 ($\text{sp}^{99.99}\text{d}^{38.76}$)
	$\sigma(\text{C1-H})$	1.99048	62.93% C1 ($\text{sp}^{1.83}$), 37.07% H (s)
	$\sigma(\text{Si2-H})$	1.97535	43.49% Si2 ($\text{sp}^{2.18}\text{d}^{0.02}$), 56.51% H (s)
	$\sigma(\text{Si3-H})$	1.95381	39.91% Si3 ($\text{sp}^{5.96}\text{d}^{0.05}$), 60.09% H (s)
SSSS	$\sigma(\text{Si4-H})$	1.97436	43.47% Si4 ($\text{sp}^{2.21}\text{d}^{0.02}$), 56.53% H (s)
	$\sigma(\text{Si1-Si2})$	1.93704	47.92% Si1 ($\text{sp}^{2.52}\text{d}^{0.02}$), 52.08% Si2 ($\text{sp}^{2.13}\text{d}^{0.01}$)
	$\sigma(\text{Si2-Si3})$	1.93706	52.09% Si2 ($\text{sp}^{2.12}\text{d}^{0.01}$), 47.91% Si3 ($\text{sp}^{2.52}\text{d}^{0.02}$)
	$\sigma(\text{Si3-Si4})$	1.91704	63.16% Si3 ($\text{sp}^{1.70}\text{d}^{0.01}$), 36.84% Si4 ($\text{sp}^{12.08}\text{d}^{0.09}$)
	$\sigma(\text{Si1-Si4})$	1.91710	63.15% Si1 ($\text{sp}^{1.70}\text{d}^{0.01}$), 36.85% Si4 ($\text{sp}^{12.07}\text{d}^{0.09}$)
	$\sigma(\text{Si1-H})$	1.97935	44.28% Si1 ($\text{sp}^{2.12}\text{d}^{0.01}$), 55.72% H (s)
	$\sigma(\text{Si2-H})$	1.98308	45.14% Si2 ($\text{sp}^{1.81}\text{d}^{0.01}$), 54.86% H (s)
	$\sigma(\text{Si3-H})$	1.97934	44.28% Si3 ($\text{sp}^{2.12}\text{d}^{0.01}$), 55.72% H (s)
	$\sigma(\text{Si4-H})$	1.94188	41.54% Si4 ($\text{sp}^{5.68}\text{d}^{0.04}$), 58.46% H (s)

Conclusions

The main goal of this study is study of the structural and spectral properties and reactivity of the silicon analogs of cyclobutadiene compound. The study was conducted based on the quantum-mechanical computations. All the selected molecules were optimized by B3LYP/6-311++G(d,p) basis set of theory. From the computations and mathematical calculations, the following conclusions were drawn.

1. All studied molecule structures can't be antiaromatic and they are non-aromatic compounds.
2. The SCSC molecular structure has the lowest stability and the highest reactivity among all compounds.
3. The reactivity of SSSS molecule is more than the CCCC compound.
4. The replacing silicon atoms instead of carbon atoms in molecular structure of cyclobutadiene molecule reduce the electrophilicity property of the compound.

5. All compounds prefer to react with nucleophiles.
6. The electrophiles attack to carbon atoms and nucleophiles reveals a significant tendency to react with the silicon atoms.
7. The four silicon atoms of SSSS molecular structure have not unique reactivity with active nucleophiles and electrophiles.
8. The stretching vibrations of C-H and Si-H appear at the frequency range of 3000-3300 and 2000-2200 cm^{-1} , respectively.
9. The HOMO/LUMO electronic transitions of cyclobutadiene and its silicon analogs happen at about 470-490 nm wavelengths.
10. The nucleuses with electron deficiency are seen at high chemical shifts. In contrast, the lowest chemical shifts are belonged to the nucleuses with surplus electron.
11. Carbon atoms participate with more p orbitals in C-C bonds than C-H bonds.
12. Low p orbitals of carbon atoms are participated in C-C and C-Si bonds by entering the silicon atoms instead of the carbon atoms in molecular structures,
13. The lowest acidity is related to the hydrogen atoms of Si-H bonds.
14. The Si-C-H hydrogen atoms have lower acidity than the C-C-H hydrogen atoms.

Conflict of interests

The author declares that there is no conflict of interests regarding the publication of this paper.

Acknowledgments

The author is grateful to Miss. Maliheh-Alsadat Kermanian for her significant contribution.

References

- [1] Kostenko A., Tumanskii B., Kobayashi Y., Nakamoto M., Sekiguchi A., Apeloig Y. *Angew Chem*, 2017, **129**:10317
- [2] Shvydkiy N.V., Perekalin D.S. *Coordination Chem. Rev.*, 2017, **349**:156
- [3] Karadakov P.B., Hearnshaw P., Horner K.E. *J. Org. Chem.*, 2016, **81**:11346
- [4] Han G.D., Collins W.R., Andrew T.L., Bulovic V., Swager T.M. *Adv. Funct. Mater.*, 2013, **23**:3061
- [5] Afanasyev O.L., Tsygankov A.A., Usanov D.L., Perekalin D. ., Shvydkiy N.V., Maleev V.I., Kudinov A.R., Chusov D. *ACS Catal.*, 2016, **6**:2043
- [6] Wu Y., Liu L., Su J., Zhu J., Ji Z., Zhao Y. *Organometallics*, 2016, **35**:1593
- [7] Charistos N. D., Papadopoulos A. G., Sigalas M. P. *J. Phys. Chem.*, 2014, **118**:1113
- [8] Onuma K., Suzuki K., Yamashita M. *Org. Lett.*, 2015, **17**:1212

- [9] Perekalin D.S., Shvydkiy N.V., Nelyubina Y.V., Kudinov A.R. *Chem. Eur. J.*, 2015, **21**:16344
- [10] Nabati M., Mahkam M. *Org. Chem. Res.*, 2016, **2**:70
- [11] Nabati M., Mahkam M. *Iran. Chem. Commun.*, 2014, **2**:129
- [12] Nabati M., Mahkam M. *J. Phys. Theor Chem. IAU Iran*, 2015, **12**:121
- [13] Nabati M. *J. Phys. Theor Chem. IAU Iran*, 2015, **12**:325
- [14] Nabati M. *J. Phys. Theor. Chem. IAU Iran*, 2017, **14**:49
- [15] Nabati M., Mahkam M. *J. Phys. Theor. Chem. IAU Iran*, 2015, **12**:33
- [16] Nabati M., Mahkam M., Atani Y.G. *J. Phys. Theor. Chem. IAU Iran*, 2016, **13**:35
- [17] Nabati M. *J. Phys. Theor. Chem. IAU Iran*, 2016, **13**:133
- [18] Nabati M., Mahkam M. *Inorg. Chem. Res.*, 2016, **1**:131
- [19] Nabati M., Mahkam M. *Silicon*, 2016, **8**:461
- [20] Nabati M., Mahkam M. *Iran. J. Org. Chem.*, 2015, **7**:1631
- [21] Nabati M. *Iran. J. Org. Chem.*, 2015, **7**:1669
- [22] Nabati M. *Iran. J. Org. Chem.*, 2016, **8**:1703
- [23] Nabati M., Hojjati M. *Iran. J. Org. Chem.*, 2016, **8**:1777
- [24] Nabati M. *Iran. J. Org. Chem.*, 2016, **8**:1803
- [25] Nabati M. *Iran. J. Org. Chem.*, 2016, **8**:1817
- [26] Nabati M. *Iran. J. Org. Chem.*, 2016, **8**:1935
- [27] Nabati M. *Iran. J. Org. Chem.*, 2017, **9**:2045
- [28] Nabati M., Salehi H. *Iran. J. Org. Chem.*, 2017, **9**:2013
- [29] Nabati M., Mofrad M. H., Kermanian M., Sarshar S. *Iran. J. Org. Chem.*, 2017, **9**:1981
- [30] Nabati M., Kermanian M., Maghsoudloo-Mahalli A., Sarshar S. *Iran. J. Org. Chem.*, 2017, **9**:2067

How to cite this manuscript: Mehdi Nabati*. Prediction of the Structural and Spectral Properties and Reactivity of the Silicon Analogs of Cyclobutadiene $C_{4-n}Si_nH_4$ ($n=0-4$) by Density Functional Theory Computations. *Chemical Methodologies* 1(2), 2017, 121-135. DOI: [10.22631/chemm.2017.104875.1018](https://doi.org/10.22631/chemm.2017.104875.1018).